

Argentina
Sylvania Iluminacion S.A.
(+54) 11 4515 0215
esteban.antreassian@sylvania.com.ar

Austria
SLI Lichtsysteme GmbH
(+43) 1617 44 80
info.de@sylvania-lighting.com

Belgium
SLI België
(+32) 3 610 44 44
be.info@sylvania-lighting.com

Brazil
Sylvania do Brasil Iluminação Ltda.
(+55 11) 5633 2400
h.demian@sylvania.com.br

Colombia
SLI Colombia S.A.
(+57 1) 782 5200
e.tapias@sylvaniacolombia.com

Costa Rica
Sylvania S.A.
(+506) 210 7678
marketing@sli-cr.com

Eastern Europe
SLI Lichtsysteme GmbH
(+49) 9131 793 499
info.de@sylvania-lighting.com

Ecuador
Sylvania S.A. N.V.
(+593 2) 328 4407
a.valderrama@sylvaniaecuador.biz

El Salvador
Sylvania S.A. de C.V.
(+503) 2239 2239
atencion.cliente@sylvania.com.sv

Finland
Sylvania Lumiance Oy
(+358) 9 5421 2100
fi.info@sylvania-lighting.com

France
SLI Sylvania SAS
(+33) 1 55 51 11 11
fr.info@sylvania-lighting.com

Germany
SLI Lichtsysteme GmbH
(+49) 9131 793 500
info.de@sylvania-lighting.com

Greece
Sylvania A.E.E.E.
(+30) 210 996 65 61
gr.info@sylvania-lighting.com

Guatemala
Sylvania S.A.
(+502) 2387 5300
servicioalcliente@sylvaniaguatemala.com

Italy
Sylvania S.p.A.
(+39) 02 24 12 58 11
it.info@sylvania-lighting.com

Latin America
SLI Lighting Products, Inc.
(+1 954) 776 1606
jwyatt@sli-fla.com

Netherlands
SLI Nederland
(+31) 76 750 44 44
nl.info@sylvania-lighting.com

Norway
Sylvania Lumiance AS
(+47) 23 067470
sli-norway.info@sylvania-lighting.com

Panama
Sylvania S.A.
(+507) 236 1000
contactarsli@sylvaniapanama.net

Portugal
SLI Sylvania Lda
(+351) 21 793 77 36/37
pt.info@sylvania-lighting.com

PR China-Guangzhou
Sylvania Enterprises Ltd.
(+86) 20 3765 0278 / 0207
sales-cm@sylvania-lighting.com.cn

PR China-Hong Kong
Sylvania Asia Pacific Ltd.
(+852) 2369 5531
sales-info@sylvania-asiapacific.com.hk

PR China-Shanghai
Sylvania Asia Pacific Ltd
(+86) 21 6391 5970
sales-cm@sylvania-lighting.com.cn

ROC Taiwan
Sylvania Asia Pacific Ltd.
(+886 2) 2708 1749
sliaptwn@ms43.hinet.net

Russia
Sylvania Svet
(+7) 8 910 46 33 776
info.de@sylvania-lighting.com

Spain
SLI Sylvania S.A.
(+34) 91 669 90 00
es.info@sylvania-lighting.com

Sweden
Sylvania Lumiance AB
(+46) 8 556 322 00
sli-sweden@sylvania-lighting.com

Switzerland
Sylvania Lighting S.A.
(+41) 2271 985 80
info.ch@sylvania-lighting.com

Thailand
Sylvania (Thailand) Ltd.
(+66 2) 656 9039 to 45
sylvania@sli.co.th

United Kingdom
Sylvania Lamps Sales
(+44) 1274 532 552
sales.office@sylvania-lighting.com

United Kingdom
SLI Group Export
(+44) 1274 537 810
Export.lampinfo@sylvania-lighting.com

Venezuela
Sylvania Iluminacion Venezuela, C.A.
(+582) 12 381 0452
a.pinzon@sylvaniavenezuela.com

www.havells-sylvania.com
www.britespotlamps.com

CAT5411

BriteSpot™

**Lighting Solutions
powered by BriteSpot™.**
Attract everybody's
attention!

SYLVANIA

Lumiance

Concord:marlin

SYLVANIA

Lumiance

Concord:marlin





Fixtures for BriteSpot™

The total solution for multiple applications

LIGHTING AS A MARKETING TOOL
Nowadays lighting is an important marketing tool and has become increasingly more professional in recent years. Lighting must be integrated into the overall environment in a way that it supports the image. It is therefore essential to see the 'needs' of the environment as the basis of the lighting requirements. This will result in the most effective lighting.

The future is certainly looking bright with the introduction of the all-new BriteSpot™ range. It has more than met the challenge of today's increasingly sophisticated lighting needs where the right lamps can make all the difference. With a lamp life extended to 9,000 hours, this new selection of compact lamps will pave the way for even more clarity in businesses where light plays a leading role. Sylvania's range of luminaries has been extended to cover spotlights and (multiple) downlights.


Energy saving. With its high light output, far fewer luminaries need to be installed to achieve the same brightness. Its high efficiency makes it ideal for cost-conscious commercial buildings striving to meet the new European energy regulations and helping the environment.

Excellent colour rendering. Its crisp white light is further enhanced by an outstanding colour rendition which reproduces the natural colour of every object and makes it ideal for use in all applications where quality of light is a must for both spotlights and downlights.

Perfect colour stability. The unique design guarantees stable light colour over the entire lamp life.

Ease of use. Twist and lock base ensures easy handling when installing and re-lamping.

Britespot™ fixtures are very easy to install and to maintain for both user and installer.





Downlights for BriteSpot™ The showroom's favourite

Where BriteSpot™ really comes into its own. With the highest light output of any compact reflector lamp on the market, its colour consistency never lets you down. The crisp light source and excellent beam pattern shows off your products to their best, providing a powerful punch that makes them leap out and want to be touched and taken home.



Inset Pro





Downlights

Myriad 4 BriteSpot™ ES50



Downlights

Signo 115 BriteSpot™ ES50




- Compact high output downlight with a cut out of just 76mm
- All luminaires supplied complete with lamp, electronic gear and trim
- 38° luminaire with low glare multigroove baffle
- 60° luminaire with high output sloped baffle
- BriteSpot™ lamp has approximately 3 times the output of a tungsten halogen equivalent

Code number	Lamp	Watt	Cap	Adapter / model	Colour
2034964	HIPAR51	35W	GX10	Britespot ES50 38°	White
2034966	HIPAR51	35W	GX10	Britespot ES50 38°	Satin chrome
2034967	HIPAR51	35W	GX10	Britespot ES50 38°	Bright chrome
2034955	HIPAR51	35W	GX10	Britespot ES50 60°	White
2034956	HIPAR51	35W	GX10	Britespot ES50 60°	Satin chrome
2034957	HIPAR51	35W	GX10	Britespot ES50 60°	Bright chrome



- Ideal for shoplighting because of crisp, powerful white light (3x more than 12V halogen)
- 60° tiltable and 355° rotation
- Unique friction system for optimal adjustment
- Supplied with BriteSpot™ ES50 35W 38° lamp


Code number	Lamp	Watt	Cap	Adapter / model	Colour
3021560	HIPAR51	35W	GX10	Britespot ES50 38°	White
3021570	HIPAR51	35W	GX10	Britespot ES50 38°	Silver



Britespot ES50 35W



38°	60°
4000lx	2000lx
1000lx	500lx
445lx	222lx
250lx	125lx
ø688	ø1155
ø1376	ø2310
ø2064	ø3465
ø2752	ø4620



Britespot ES50 35W



38°
4000lx
1000lx
445lx
250lx
ø688
ø1376
ø2064
ø2752



Downlights

Inset Pro 80 comfort BriteSpot™ ES50



Downlights

Inset Trend 75 Comfort BriteSpot™ ES50







- Ideal for shoplighting because of crisp, powerful white light (3x more than 12V halogen)
- No frontglass needed because of self protective and UV stop feature of lamp glass
- Available in white, brushed aluminium and gold colour
- High class aluminium product
- Supplied with BriteSpot™ ES50 35W 38 ° lamp

Code number	Lamp	Watt	Cap	Adapter / model	Colour
3080220	HIPAR51	35W	GX10	Britespot ES50 38°	White
3080230	HIPAR51	35W	GX10	Britespot ES50 38°	Brushed aluminium
3080240	HIPAR51	35W	GX10	Britespot ES50 38°	Gold



- Crisp powerful white light (3x more than 12V halogen)
- Less maintenance and re-lamping because of very long lamp life
- Ideal for cost concious commercial projects because of very high light output
- Many applications due to excellent colour rendering 90 Ra
- Supplied with BriteSpot™ ES50 35W 38 ° lamp

Code number	Lamp	Watt	Cap	Adapter / model	Colour
3073870	HIPAR51	35W	GX10	Britespot ES50 38° Installer kit	White
3073880	HIPAR51	35W	GX10	Britespot ES50 38° Installer kit	Brushed aluminium
3073900	HIPAR51	35W	GX10	Britespot ES50 38°	White
3073910	HIPAR51	35W	GX10	Britespot ES50 38°	Brushed aluminium
3073920	HIPAR51	35W	GX10	Britespot ES50 38°	Silver
3073930	HIPAR51	35W	GX10	Britespot ES50 38°	Chrome
3073940	HIPAR51	35W	GX10	Britespot ES50 38°	Gold
3073950	HIPAR51	35W	GX10	Britespot ES50 38°	Antique
3073960	HIPAR51	35W	GX10	Britespot ES50 38°	Brushed Gold





Torus Quad BriteSpot™ ES50



Lyteframe BriteSpot™ ES111

Code number	Lamp	Watt	Cap	Adapter / model	Colour
2034718	HIPAR51	1x35W	GX10	Britespot E550 38°	White
2034720	HIPAR51	2x35W	GX10	Britespot E550 38°	White
2034722	HIPAR51	4x35W	GX10	Britespot E550 38°	White
2034723	HIPAR51	1x35W	GX10	Britespot E550 38°	Silver
2034724	HIPAR51	2x35W	GX10	Britespot E550 38°	Silver
2034725	HIPAR51	3x35W	GX10	Britespot E550 38°	Silver
2034726	HIPAR51	4x35W	GX10	Britespot E550 38°	Silver

Lyteframe recessed	Code number	Lamp	Watt	Cap	Adapter / model	Colour
	2038927	HIPAR111	1x35W	GX10	Britespot ES111	Alu Black
	2038928	HIPAR111	2x35W	GX10	Britespot ES111	Alu Black
	2038930	HIPAR111	3x35W	GX10	Britespot ES111	Alu Black
	2038931	HIPAR111	4x35W	GX10	Britespot ES111	Alu Black
	2040252	HIPAR111	2x2x35W	GX10	Britespot ES111	Alu Black
	2039092	HIPAR111	1x70W	GX10	Britespot ES111	Alu Black
	2039093	HIPAR111	2x70W	GX10	Britespot ES111	Alu Black
	2039094	HIPAR111	3x70W	GX10	Britespot ES111	Alu Black
	2039095	HIPAR111	4x70W	GX10	Britespot ES111	Alu Black
	2040253	HIPAR111	2x2x70W	GX10	Britespot ES111	Alu Black
Lyteframe suspended	Code number	Lamp	Watt	Cap	Adapter / model	Colour
	2038948	HIPAR111	2x35W	GX10	Britespot ES111	Alu Black or Silver
	2038950	HIPAR111	3x35W	GX10	Britespot ES111	Alu Black or Silver
	2038951	HIPAR111	4x35W	GX10	Britespot ES111	Alu Black or Silver
	2038976	HIPAR111	4x35W	GX10	Britespot ES111 + LED EMERG.	Alu Black or Silver
	2040247	HIPAR112	1x70W	GX10	Britespot ES111	Alu Black or Silver
	2040248	HIPAR113	2x70W	GX10	Britespot ES111	Alu Black or Silver
	2040249	HIPAR114	3x70W	GX10	Britespot ES111	Alu Black or Silver
	2040250	HIPAR115	4x70W	GX10	Britespot ES111 + LED EMERG.	Alu Black or Silver





Multiple Downlights

Motto 82 BriteSpot™ ES50



Multiple Downlights

Motto 144 BriteSpot™ ES111




- Circular and modular versions for optimal flexibility
- Takes BriteSpot™ ES 50 35W
- 2x25° tilt and 355° rotation
- Single, duo and trio options available
- Combination with other lamptypes possible
- Supplied with BriteSpot™ ES50 35W 38° or 60° lamp


Code number	Lamp	Watt	Cap	Adapter / model	Colour
3035060	HIPAR51	35W	GX10	Britespot ES50 60°	White
3035070	HIPAR51	35W	GX10	Britespot ES50 60°	Silver
3035660	HIPAR51	35W	GX10	Britespot ES50 60°	Brushed aluminium
3035061	HIPAR51	35W	GX10	Britespot ES50 38°	White
3035071	HIPAR51	35W	GX10	Britespot ES50 38°	Silver
3035661	HIPAR51	35W	GX10	Britespot ES50 38°	Brushed aluminium
3035670	HIPAR51	35W	GX10	Britespot ES50 60°	Lamp unit Brushed aluminium
3035100	HIPAR51	35W	GX10	Britespot ES50 60°	Lamp unit Silver
3035105	HIPAR51	35W	GX10	Britespot ES50 60°	Lamp unit White
3035101	HIPAR51	35W	GX10	Britespot ES50 38°	Lamp unit Silver
3035671	HIPAR51	35W	GX10	Britespot ES50 38°	Lamp unit Brushed aluminium



- Round and modular versions for optimal flexibility
- Takes BriteSpot™ ES111 35W and 70W
- 2x25° tilt and 355° rotation
- Single, duo and trio options available
- Combination with other lamptypes possible
- Supplied with BriteSpot™ ES111 35W or 70W 24° lamp



Code number	Lamp	Watt	Cap	Adapter / model	Colour
3035920	HIPAR111	35W	GX10	Britespot™ ES111 24°	White
3035940	HIPAR111	35W	GX10	Britespot™ ES111 24°	Silver
3035960	HIPAR111	70W	GX10	Britespot™ ES111 24°	White
3035970	HIPAR111	70W	GX10	Britespot™ ES111 24°	Silver
3035950	HIPAR111	35W	GX10	Britespot™ ES111 24°	Lamp unit Silver
3035980	HIPAR111	70W	GX10	Britespot™ ES111 24°	Lamp unit Silver
3035990	HIPAR111	70W	GX10	Britespot™ ES111 24°	Lamp unit White



Britespot ES50 35W



38°	60°
4000lx	2000lx
1000lx	500lx
445lx	222lx
250lx	125lx
ø688	ø1155
ø1376	ø2310
ø2064	ø3465
ø2752	ø4620

Britespot ES111 35W



24°
10000lx
2500lx
1111lx
625lx
ø425
ø850
ø1275
ø1700

Britespot ES111 70W



24°
20000lx
5000lx
2222lx
1250lx
ø425
ø850
ø1275
ø1700

Spotlights for BriteSpot™ For everlasting colour rendition

What better way to present your products than under soft, seductive lighting whereby they take on a life of their own and reach out to be touched and appreciated. The advanced optics plus warm white light and superb colour rendering make it a versatile source for accent and display lighting, creating light and shade in an attractive setting.



Torus





Spotlights

TeQ BriteSpot™ ES50



Spotlights

TeQ BriteSpot™ ES111




- Good colour rendering even at red end of spectrum
- Compact electronic control gear
- Secure twin fixings to track
- Low glare baffle
- Supplied with 35W 24° BriteSpot™ ES50 lamp

Code number	Lamp	Watt	Cap	Adapter / model	Colour
2037292	HIPAR51	35W	GX10	Britespot ES50 24° LS1	White
2037293	HIPAR51	35W	GX10	Britespot ES50 24° LS3	White
2037294	HIPAR51	35W	GX10	Britespot ES50 24° LS1	Silver
2037295	HIPAR51	35W	GX10	Britespot ES50 24° LS3	Silver



- Good colour rendering even at red end of spectrum
- Compact electronic control gear
- Secure twin fixings to track
- Low glare baffle
- Supplied with 35W 24° BriteSpot™ ES111 lamp


Code number	Lamp	Watt	Cap	Adapter / model	Colour
2037301	HIPAR111	35W	GX10	Britespot ES111 24° LS1	White
2037302	HIPAR111	35W	GX10	Britespot ES111 24° LS3	White
2037303	HIPAR111	35W	GX10	Britespot ES111 24° LS1	Silver
2037304	HIPAR111	35W	GX10	Britespot ES111 24° LS3	Silver



Britespot ES50 35W



	24°	
7000lx	ø425	1m
1750lx	ø850	2m
780lx	ø1275	3m
440lx	ø1700	4m



Britespot ES111 35W



	24°	
10000lx	ø425	1m
2500lx	ø850	2m
1111lx	ø1275	3m
625lx	ø1700	4m



Spotlights

Giro BriteSpot™ ES50



Spotlights

Giro BriteSpot™ ES111




- Ideal for shoplighting because of crisp, powerful white light
- Popular 50 mm reflector diameter
- Cool beam due to dichroic reflector
- Supplied with 35W 38° BriteSpot™ ES50 lamp

Code number	Lamp	Watt	Cap	Adapter / model	Colour
3070310	HIPAR51	35W	GX10	Britespot ES50 38° LS1	White
3070300	HIPAR51	35W	GX10	Britespot ES50 38° LS3	White
3070330	HIPAR51	35W	GX10	Britespot ES50 38° LS1	Silver
3070320	HIPAR51	35W	GX10	Britespot ES50 38° LS3	Silver



- Ideal for shoplighting because of crisp, powerful white light
- Popular 111 mm reflector diameter
- Cool beam due to dichroic reflector
- Supplied with 35W/70W 24° BriteSpot™ ES111 lamp


Code number	Lamp	Watt	Cap	Adapter / model	Colour
3070560	HIPAR111	35W	GX10	Britespot ES111 24° LS1	White
3070550	HIPAR111	35W	GX10	Britespot ES111 24° LS3	White
3070580	HIPAR111	35W	GX10	Britespot ES111 24° LS1	Silver
3070570	HIPAR111	35W	GX10	Britespot ES111 24° LS3	Silver
3070600	HIPAR111	70W	GX10	Britespot ESD111 24° LS1	White
3070610	HIPAR111	70W	GX10	Britespot ESD111 24° LS3	White
3070620	HIPAR111	70W	GX10	Britespot ESD111 24° LS1	Silver
3070630	HIPAR111	70W	GX10	Britespot ESD111 24° LS3	Silver



Britespot ES50 35W



Beam angle	Beam diameter (mm)	Distance (m)
38°	ø688	1m
	ø1376	2m
	ø2064	3m
	ø2752	4m



Britespot ES111



Beam angle	Beam diameter (mm)	Distance (m)
24°	ø425	1m
	ø850	2m
	ø1275	3m
	ø1700	4m



Spotlights

Torus BriteSpot™ ES50



Spotlights

Axo XS BriteSpot™ ES50




- Extremely light and compact spotlight for the BriteSpot™ ES50
- BriteSpot™ ES50 35W: 3 x the output of 12V halogen
- Supplied with 35W 38° BriteSpot™ ES50 lamp

Code number	Lamp	Watt	Cap	Adapter / model	Colour
2034990	HIPAR51	35W	GX10	Britespot ES50 38° LS1	White
2034991	HIPAR51	35W	GX10	Britespot ES50 38° LS3	White
2034994	HIPAR51	35W	GX10	Britespot ES50 38° LS1	Silver





- Ideal for shoplighting because of crisp, powerful white light
- Less maintenance and re-lamping due to very long lamp life
- Integrated electronic gear
- Supplied with 35W 38° BriteSpot™ ES50 lamp


Code number	Lamp	Watt	Cap	Adapter / model	Colour
3088100	HIPAR51	35W	GX10	Britespot ES50 38° LS1	White
3088120	HIPAR51	35W	GX10	Britespot ES50 38° LS3	White
3088110	HIPAR51	35W	GX10	Britespot ES50 38° LS1	Silver
3088130	HIPAR51	35W	GX10	Britespot ES50 38° LS3	Silver



Britespot ES50 35W



Britespot ES50 35W





Spotlights

Axo Display BriteSpot™ ES50



Spotlights

Axo Recess BriteSpot™ ES50




- High light output on display area
- Less maintenance and re-lamping because of very long lamp life
- Plug and play, gear and 3 meter cord with plug included
- Mobile, broad field of application
- Supplied with 35W 60° BriteSpot™ ES50 lamp

Code number	Lamp	Watt	Cap	Adapter / model	Colour
3088140	HIPAR51	35W	GX10	Britespot ES50 60°	Silver



- Spotlight for a recessed application
- Combined application of Axo and Motto
- Complete products and modular lamp units
- Ideal for shop lighting
- Supplied with 35W 38° BriteSpot™ ES50 lamp


Code number	Lamp	Watt	Cap	Adapter / model	Colour
3088620	HIPAR51	35W	GX10	Britespot ES50 38°	White
3088630	HIPAR51	35W	GX10	Britespot ES50 38°	Silver
3088720	HIPAR51	35W	GX10	Britespot ES50 38°	Lamp unit White
3088730	HIPAR51	35W	GX10	Britespot ES50 38°	Lamp unit Silver



Britespot ES50 35W



	60°	
2000lx	ø1155	1m
500lx	ø2310	2m
222lx	ø3465	3m
125lx	ø4620	4m



Britespot ES50 35W



	38°	
4000lx	ø688	1m
1000lx	ø1376	2m
445lx	ø2064	3m
250lx	ø2752	4m