

SYLVANIA

Beacon



Concord



Mains voltage

- Compact spotlight, all die-cast design
- Crisp halogen light without the need for transformer
- No back light, lamp is fully enclosed at rear

Low voltage

- Slim minimalist, all die-cast design
- Compact integral electronic transformer
- No back light, lamp is fully enclosed at rear
- Collectively dimmable using trailing and leading edge dimming systems

BriteSpot

- Slim minimalist, all die-cast design
- Compact electronic control gear
- Quartz metal halide reflector lamp technology from Sylvania
- Excellent colour rendering

CMI/CDM-T

- Contemporary, all die-cast design
- Compact electronic control gear
- Range of filters and honeycomb accessory to customise display or accent interiors
- Interchangeable safety lenses determine beam angle



Beacon Britespot

Beacon low voltage

Beacon CMI/CDM-T

Beacon Hi-Spot 95

Beacon Hi-Spot ES50

Mounting:	Track: Concord single or three circuit polycarbonate adaptor Surface: Polycarbonate monopoint
Housing:	Material: Die-cast aluminium powder coated finish Finish: White RAL 9016, silver RAL 9006, black RAL 9005
Reflector	Materials: Aluminium
Safety Lens:	Borosilicate glass
Gear:	Integral electronic gear with timed ignition and thermal cut-out
Transformer:	Integral electronic transformer with extended lamp life

Beacon - Mains voltage

50w Hi-Spot ES50

- Slim minimalist, all die-cast design
- Crisp halogen light without the need for transformer
- No back light, lamp is fully enclosed at rear
- Robust GU10 lamp base for easy lamp replacement
- **Order lamp separately**






Beacon Hi Spot ES50		White	Silver	Black	
50w QPAR16	Single Circuit	2041879	2041880	2041881	0.41kg
50w QPAR16	Three Circuit	2041882	2041883	2041884	0.41kg


Monopoint

For surface mounting of single or three circuit track adaptors order onto ceiling or walls

Single Circuit	3020060	3020070
Three Circuit	3020010	3020030



DLOR = 0.87



Beacon

100w Hi-Spot 95

- Contemporary, all die-cast design
- Crisp halogen light without the need for transformer
- No back light, lamp is fully enclosed at rear
- Simple E27 lamp base allow easy lamp replacement
- **Order lamp separately**





Beacon Hi Spot 95		White	Silver	Black	
100w QPAR30	Single Circuit	2041891	2041892	2041893	0.59kg
100w QPAR30	Three Circuit	2041894	2041895	2041896	0.59kg


Monopoint

For surface mounting of single or three circuit track adaptors order onto ceiling or walls


Single Circuit	3020060	3020070
Three Circuit	3020010	3020030



100w 10° lamp



100w 30° lamp



Beacon Low Voltage

- Slim minimalist, all die-cast design
- Compact electronic transformer
- No back light, lamp is fully enclosed at rear
- 20 – 50w dichroic lamps
- Collectively dimmable using trailing and leading edge dimming systems
- **Order lamp separately**



Beacon Low Voltage

		White	Silver	Black	
50w QR-CBC51	Single Circuit	2041897	2041898	2041899	0.58kg
50w QR-CBC51	Three Circuit	2041900	2041901	2041902	0.58kg


Monopoint

For surface mounting of single or three circuit track adaptors order onto ceiling or walls


Single Circuit	3020060	3020070
Three Circuit	3020010	3020030

Accessories


Chrome Cowl/Ring	2045808
------------------	----------------



50w 10° Spot



50w 38° Flood



Superia 50
QR-CBC51
20/35/50w GU5.3



20w = 320 lm
35w = 630 lm
50w = 1000 lm

Beacon BriteSpot ES50

Metal Halide

- Slim minimalist, all die-cast design
- Compact electronic control gear
- No back light, lamp is fully enclosed at rear
- Quartz metal halide reflector lamp technology from Sylvania
- Robust GX10 lamp base for easy lamp replacement
- Excellent colour rendering
- Twice the output of a 50w dichroic lamp
- **Order lamp separately**



Beacon Britespot ES50		White	Silver	Black	
35w HI-PAR51	Single Circuit	2041903	2041904	2041905	0.72kg
35w HI-PAR51	Three Circuit	2041906	2041907	2041908	0.72kg


Monopoint

For surface mounting of single or three circuit track adaptors order onto ceiling or walls


Single Circuit	3020060	3020070
Three Circuit	3020010	3020030

Accessories


Chrome Cowl/Ring	2045807
------------------	---------



35w 38° Flood



DLOR = 0.64



BriteSpot ES50
HIPAR51 35w GX10



35w = 3269 lm



Optional Chrome Cowl

Beacon CMI/CDM-T 35w & 70w

Metal Halide

- Contemporary, all die-cast design
- Compact electronic control gear
- No back light, lamp is fully enclosed at rear
- Robust G12 base CMI/CDM-T ceramic metal halide capsule lamp
- Range of filters and honeycomb accessory to customise display or accent interiors
- Available complete with spot or flood safety lens
- Interchangeable safety lenses determine beam angle
- **Order lamp separately**
- **Safety lenses must be used**




Beacon CMI/CDM-T 35w

		White	Silver	Black	
35w HIT-CE with spot safety lens	Single Circuit	2046412	2046413	2046414	1.42kg
35w HIT-CE with flood safety lens	Single Circuit	2046415	2046416	2046417	1.42kg
35w HIT-CE	Single Circuit	2041909	2041910	2041911	1.42kg
35w HIT-CE with spot safety lens	Three Circuit	2046418	2046419	2046420	1.42kg
35w HIT-CE with flood safety lens	Three Circuit	2046421	2046422	2046423	1.42kg
35w HIT-CE	Three Circuit	2041912	2041913	2041914	1.42kg















Beacon CMI/CDM-T 70w

		White	Silver	Black	
70w HIT-CE with spot safety lens	Single Circuit	2046424	2046425	2046426	1.42kg
70w HIT-CE with flood safety lens	Single Circuit	2046427	2046428	2046429	1.42kg
70w HIT-CE	Single Circuit	2041915	2041916	2041917	1.42kg
70w HIT-CE with spot safety lens	Three Circuit	2046430	2046431	2046432	1.42kg
70w HIT-CE with flood safety lens	Three Circuit	2046433	2046434	2046435	1.42kg
70w HIT-CE	Three Circuit	2041918	2041919	2041920	1.42kg



Monopoint For surface mounting of single or three circuit track adaptors order onto ceiling or walls

Single Circuit	3020060	3020070
Three Circuit	3020010	3020030



Beacon CMI/CDM-T 35 & 70w


Accessories

- Interchangeable safety lenses provide beam angles from 13-35°
- Elongation safety lens for highlighting sculptures, mannequins, logos and shelving
- Coloured filters for creating dramatic effects and highlighting displays
- Honeycomb filter, screw-fit glare shield and barn door accessories for effective glare control
- A combination of accessories can be fitted but must always include a safety lens next to the lamp

Interchangeable Safety Lenses

	35w	70w	
CMI/CDM-T	CMI/CDM-T	CMI/CDM-T	
Spot Lens	13°	15°	2027238
Medium Lens	16°	18°	2033450
Flood Lens	34°	35°	2027234
Elongation Lens	5:1	5:1	2027239


Interchangeable Safety Lenses



Optional Filters

Honeycomb	Not to be used in combination with colour filters	2027240
UV	100% UVB/C and 70% UVA protection	2027241
Daylight	Converts 3000k to 6000k	2027246
Flesh Tone	Enhances the appearance of flesh tone, vegetables and meat	2032127
Mid Blue		2032128
Red		2027244
Amber		2027245

Optional Filters



EUROPE

Austria
Vienna
T. +43 (0)1617 4480
F. +43 (0)1617 4481
info.at@havells-sylvania.com

Belgium
Antwerp
T. +32 (0)3 610 44 44
F. +32 (0)3 610 44 57
info.be@havells-sylvania.com

**Bulgaria, Romania
and Macedonia**
Sofia
T. +359 885 971 285
F. +359 2 981 34 92
info.bg@havells-sylvania.com

Czech Republic and Slovakia
Brno
T. +420 545 231 345
F. +420 545 231 346
info.cz@havells-sylvania.com

East Europe
Erlangen
T. +49 (0)9131 793 499
F. +49 (0)9131 793 496
info.de@havells-sylvania.com

Finland
Helsinki
T. +358 (0)9 5421 2100
F. +358 (0)9 5421 2130
info.fi@havells-sylvania.com

France
Paris
T. +33 (0)1 55 51 11 00
F. +33 (0)1 55 51 11 15
info.fr@havells-sylvania.com

Germany
Erlangen
T. +49 (0)9131 793 500
F. +49 (0)9131 793 345
info.de@havells-sylvania.com

Greece
Athens
T. +30 210 996 65 61
F. +30 210 996 90 29
info.gr@havells-sylvania.com

Hungary
Budapest
T. +36 (30) 50 69 182
F. +36 (24) 423 563
info.hu@havells-sylvania.com

Italy
Milan
T. +39 02 24 12 58 11
F. +39 02 24 12 58 80
info.it@havells-sylvania.com

Netherlands
Breda
T. +31 (0)76 750 44 44
F. +31 (0)76 750 44 56
info.nl@havells-sylvania.com

Norway
Oslo
T. +47 23 067470
F. +47 23 067471
info.no@havells-sylvania.com

Poland
Poznan
T. +48 510 294 820
F. +48 61 8720 413
info.pl@havells-sylvania.com

Portugal
Lisbon
T. +351 21 793 77 36/37
F. +351 21 793 77 38
info.pt@havells-sylvania.com

Russia
Moscow
T. +7 495 935 70 48
F. +7 495 937 70 08
info.ru@havells-sylvania.com

South East Europe
**Serbia, Croatia, Slovenia,
Albania, Montenegro, Bosnia
and Herzegovina**
Belgrade
T. +381 (0)63 617 716
F. +381 (0)11 2398 305
info.see@havells-sylvania.com

Spain
Madrid
T. +34 (0)91 669 90 00
F. +34 (0)91 673 73 64
info.es@havells-sylvania.com

Sweden
Årsta
T. +46 8 556 322 00
F. +46 8 556 322 10
info.se@havells-sylvania.com

Switzerland
Zurich
T. +41 44305 31 80
F. +41 44305 31 81
info.ch@havells-sylvania.com

Turkey
Istanbul
T. +90 533 433 86 78
F. +90 212 343 46 10
info.tr@havells-sylvania.com

UK (Trade)
Shipley
T. +44 1274 532552
F. +44 1274 531672
info.uk@havells-sylvania.com

UK (Export)
Shipley
T. +44 1274 537 810
F. +44 1274 537 811
info.export@
havells-sylvania.com

UK (Specification)
Newhaven
T. +44 870 606 2030
F. +44 1273 512 688
info.concord@
havells-sylvania.com

MIDDLE EAST

United Arab Emirates
Dubai
T. +971 4 2998141
F. +971 4 2998142
info.ae@havells-sylvania.com

ASIA

China
Guangzhou
T. +86 20 3815 1138
F. +86 20 3869 7572
info.cn@havells-sylvania.com

India
Noida
T. +91 120 4771000
F. +91 120 4772000
marketing@havells.com

Malaysia
Kuala Lumpur
T. +603 2031 8788
F. +603 2031 4788

Thailand
Bangkok
T. +66 2656 9039 to 45
F. +66 2254 3369
info.th@havells-sylvania.com

Vietnam
Hanoi
T. +844 715 1604
F. +844 715 1605
info.vn@havells-sylvania.com

AMERICAS

Argentina
Buenos Aires
T. +54 11 4515 0215
F. +54 11 4515 0215
info.ar@havells-sylvania.com

Brazil
Sao Paulo
T. +55 11 3133 2400
F. +55 11 5521 3660
info.br@havells-sylvania.com

Colombia
Santafe de Bogota
T. +57 1 782 5200
F. +57 1 782 5362
info.co@havells-sylvania.com

Costa Rica
San José
T. +506 22 107 678
F. +506 22 200 338
info.cr@havells-sylvania.com

Ecuador
Quito
T. +593 2 328 4407
F. +593 2 281 0007
info.ec@havells-sylvania.com

El Salvador
San Salvador
T. +503 2239 2239
F. +503 2284 9670
info.sv@havells-sylvania.com

Guatemala
Guatemala City
T. +502 2387 5300
F. +502 2387 5301
info.gt@havells-sylvania.com

Mexico
Mexico D.F.
T. +52 55 5387 7670
F. +52 55 5387 7671
info.mx@havells-sli.com

Panama
Panama City
T. +507 236 1000
F. +507 236 1315
info.pa@havells-sylvania.com

USA
Mullins, SC
T. +1 843 464 0554
F. +1 843 464 2897
info.us@havells-sli.com

Venezuela
Caracas
T. +58212 381 0452
F. +58212 381 0350
info.ve@havells-sylvania.com

www.havells-sylvania.com

Concord